



ROMANO™

S T O N E S

STONE CLADS

ROMANOTM

S T O N E S

STONE CLADS FROM ROMANO STONESTM ARE INSPIRED BY THE NATURAL STONE CLADS USED ESPECIALLY IN EUROPEAN ARCHITECTURES. EACH DESIGN GIVES A UNIQUE AESTHETIC LOOK THUS MAKING THE LAYING SPACE ATTRACTIVE. THESE STONE CLADS CAN BE USED ON BOTH INTERIOR AND EXTERIOR SPACES. THE SHADES USED FOR EACH COLOUR ARE MATCHED PERFECTLY WITH THE RESPECTIVE COLOUR TO PROVIDE A PLEASANT LOOK.

ROMANO STONESTM TAKES MUCH PRIDE IN CUSTOMISING UNIQUE COLOURS BASED ON CLIENTS' ARCHITECTURAL THIRST.



ELEGANT LEDGESTONE



SANDSTONE_LD_01



TEAK_LD_02



GREY_LD_03



EARTH BROWN_LD_04




SHADED GREY_LD_05



JADE BLACK_LD_06

Dimension





ROCKY LEDGE



EARTH BROWN_RL_01



GREY_RL_02



SANDSTONE_RL_03




TEAK_RL_04



WENGAI_RL_05


Dimension

270 mm



89.5 mm

184 mm



89.5 mm



MUSHROOM



MOSS GREEN_MR_01



ELEPHANT GREY_MR_02



TEAK_MR_03






PRIME WHITE_MR_04



CUSTOM_MR_05

Dimension





SLATE



SAND STONE_ST_01



DARK TEAK_ST_02





MOSS GREEN_ST_03



JET BLACK_ST_04

Dimension





WATERFALL



WENGAI_WF_01




ELEPHANT GREY_WF_02



TEAK_WF_03





MOSS GREEN_WF_04



PRIME WHITE_WF_05

Dimension





PYRADINE



EARTH BROWN_PY_01



EJET BLACK_PY_02




SANDSTONE_PY_03



RUSTIC EARTH_PY_04

Dimension





CUBA



EARTH BROWN_CU_01



STANDSTONE_CU_02




TEAK_CU_03



GREY_CU_04

Dimension





HEXAMAX



TOFFEE BROWN_HM_01



PERSIAN RED_HM_02



TURQUOISE BLUE_HM_03





JET BLACK_HM_04




OLIVE GREEN_HM_05

Dimension






TRIOSTAR MONOTONE



PASTEL GREY_TS_01



SANDSTONE_TS_02



VATICAN GOLD_TS_03



PANAMA ORANGE_TS_04






PERSIAN RED_TS_05




TURQUOISE BLUE_TS_06

Dimension





DIAMOND MONOTONE



PASTEL GREY_DI_01



SANDSTONE_DI_02



VATICAN GOLD_DI_03



PANAMA ORANGE_DI_04




PERSIAN RED_DI_05



TURQUOISE BLUE_DI_06

Dimension





ROMANOTM
S T O N E S



ROMANOTM
S T O N E S

INSTALLATION PROCEDURE

- Firstly, please clean the substrate, to be laid, from dust and dirt. Level out the surface where the stones will be laid.
- If to be laid on a surface like cement board or plywood, Use specially made urethane-based adhesive rather than mortar to adhere stones to the surface.
- For mortar preparation, take into consideration the amount of water, for good bonding.
- Use hand gloves, if stones are white or bright in colour, to prevent dirt or stain on stone.
- Since the back surface of the stone is dry, wet it with water to avoid the absorption of water from mortar.
- Cover the back surface of the Stone with mortar completely so there is no gap between the stone and the surface.
- Place the stone by pressing hard to ensure very good adherence to the mortar on the back surface of the stone.
- Use a rubber mallet (rubber hammer) to properly fix and level the stone, in order to not wound the stone.
- Spacers can be used where it is needed.
- For grouting, use a pastry bag or a grouting gun.
- If mortars sticks to the surface of the stone, before it hardens, brush off the mortar with a soft wired brushed or hard plastic, do not use metal.
- Clean the stones by using a dry paint brush.
- Apply protective / colour enhancer coat to stones.



FROST-RESISTANT




WATER PROOF



FIRE PROOF



SUN PROOF



DUST PROOF



ELECTRICALLY INSULATED



THERMAL SHOCK RESISTANT

DISCLAIMER

The product colors and textures shown in this brochure are as accurate as current photography. Yet, we strongly recommend looking at product samples before making an order. Romano Stones™ reserves the right to make product improvements and modification without prior notification. Reproduction of this catalogue and its contents is subject to written permission by Romano Stones.™

